EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L11	0	@ad<"20021209" and (select$4 or choos$3 or look$3 or compar$3 or us$3) with ((routing or forwarding or destination or relaying) adj table) same default adj (connect$3 same network or destination)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 14:46
L12	8	@ad<"20021209" and (select$4 or choos$3 or look$3 or compar$3 or us$3) with ((routing or forwarding or destination or relaying) adj (adapter or table)) same (default adj (interface or network or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 14:48
L13	29	@ad<"20021209" and (select$4 or choos$3 or look$3 or compar$3 or us$3) with ((routing or forwarding or destination or relaying) adj (adapter or table)) same (default near3 (interface or network or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 14:49
L14	0	709/218.ccls. and (select $4 or choos$3 or look$3 or compar$3 or us$3) with ((routing or forwarding or destination or relaying) adj (adapter or table)) same (default near3 (interface or network or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 14:52
L15	0	709/224.ccls. and (select $4 or choos$3 or look$3 or compar$3 or us$3) with ((routing or forwarding or destination or relaying) adj (adapter or table)) same (default near3 (interface or network or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 14:52

L16	7	709/238.ccls. and (select $4 or choos$3 or look$3 or compar$3 or us$3) with ((routing or forwarding or destination or relaying) adj (adapter or table)) same (default near3 (interface or network or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 15:14
L17	1	709/239.ccls. and (select $4 or choos$3 or look$3 or compar$3 or us$3) with ((routing or forwarding or destination or relaying) adj (adapter or table)) same (default near3 (interface or network or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 16:07
L18	1	709/240.ccls. and (select $4 or choos$3 or look$3 or compar$3 or us$3) with ((routing or forwarding or destination or relaying) adj (adapter or table)) same (default near3 (interface or network or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 16:07
L19	6	709/242.ccls. and (select $4 or choos$3 or look$3 or compar$3 or us$3) with ((routing or forwarding or destination or relaying) adj (adapter or table)) same (default near3 (interface or network or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 16:08
L20	31	"709"/$ and (select$4 or choos$3 or look$3 or compar$3 or us$3) with ((routing or forwarding or destination or relaying) adj (adapter or table)) same (default near3 (interface or network or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 16:09

L21	4	"707"/$ and (select$4 or choos$3 or look$3 or compar$3 or us$3) with ((routing or forwarding or destination or relaying) adj (adapter or table)) same (default near3 (interface or network or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 16:22
L22	1	"705"/$ and (select$4 or choos$3 or look$3 or compar$3 or us$3) with ((routing or forwarding or destination or relaying) adj (adapter or table)) same (default near3 (interface or network or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 16:23
L23	0	"715"/$ and (select$4 or choos$3 or look$3 or compar$3 or us$3) with ((routing or forwarding or destination or relaying) adj (adapter or table)) same (default near3 (interface or network or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 16:24
L24	1	"717"/$ and (select$4 or choos$3 or look$3 or compar$3 or us$3) with ((routing or forwarding or destination or relaying) adj (adapter or table)) same (default near3 (interface or network or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 16:25
L25	0	"718"/$ and (select$4 or choos$3 or look$3 or compar$3 or us$3) with ((routing or forwarding or destination or relaying) adj (adapter or table)) same (default near3 (interface or network or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 16:28

L26	9	"455"/$ and (select$4 or choos$3 or look$3 or compar$3 or us$3) with ((routing or forwarding or destination or relaying) adj (adapter or table)) same (default near3 (interface or network or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 16:29
L27	7	"379"/$ and (select$4 or choos$3 or look$3 or compar$3 or us$3) with ((routing or forwarding or relaying) adj (adapter or table)) same (default near3 (interface or network or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 16:30
L28	50	"370"/$ and (select$4 or choos$3 or look$3 or compar$3 or us$3) with ((routing or forwarding or relaying) adj (adapter or table)) same (default near3 (interface or network or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/05/29 16:31
S1	0	@ad<"20021209" and (first and second) adj (adapter) with (routing adj table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 21:03
S2	4	@ad<"20021209" and (first and second) adj (adapter) same ((rout$3 or forward$3 or destination or relay$3) adj table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 21:05
S3	13	@ad<"20021209" and (multiple or plurality) near3 (adapter) same ((rout$3 or forward$3 or destination or relay$3) adj table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 21:14
S4	42	@ad<"20021209" and (multiple or plurality or (first and second) or virtual) near3 (adapter) same ((rout$3 or forward $3 or destination or relay $3) adj table)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/09/11 21:17

S5	16	@ad<"20021209" and (multiple or plurality or (first and second) or virtual) near3 (adapter) same (associat$3 or relat$3) with ((rout$3 or forward$3 or destination or relay$3) adj table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 21:24
S6	20	@ad<"20021209" and (multiple or plurality or (first and second) or virtual) near3 (adapter or interface) same (associat$3 or relat$3 or select$3) with ((rout$3 or forward$3 or destination or relay$3) adj table) same destination	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 21:39
S7	0	@ad<"20021209" and (multiple or plurality or (first and second) or virtual) near3 (adapter) same (associat$3 or relat$3 or select$3) with (multiple or plurality or (first and second)) near3 ((rout$3 or forward$3 or destination or relay$3) adj table) and (next adj (hop or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 21:40
S8	1	@ad<"20021209" and (multiple or plurality or (first and second) or virtual) near3 (adapter) and (associat$3 or relat$3 or select$3) with (multiple or plurality or (first and second)) near3 ((rout$3 or forward$3 or destination or relay$3) adj table) and (next adj (hop or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 21:46

S9	1	@ad<"20021209" and (multiple or plurality or (first and second) or virtual) near4 (adapter) and (associat$3 or relat $3 or select$3) with (multiple or plurality or (first and second)) near3 ((rout$3 or forward$3 or destination or relay$3) near3 table) and (next adj (hop or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 21:57
S12	13	@ad<"20021209" and (multiple or plurality or (first and second) or virtual) near4 (adapter) and (multiple or plurality or (first and second)) near4 ((rout$3 or forward $3 or destination or relay $3) near3 table) and (next adj (hop or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 22:02
S13	66	@ad<"20021209" and (adapter or interface) with (associat$3 or relat $3 or compris$3 or hav $3) same (multiple or plurality or (first and second) or associat$3) near4 ((rout$3 or forward $3 or destination or relay $3) near3 table) and (next adj (hop or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 22:03
S14	58	@ad<"20021209" and (adapter or interface) with (associat$3 or relat $3 or compris$3 or hav $3) with (multiple or plurality or (first and second) or associat$3 or correspond$3) near4 ((rout$3 or forward$3 or destination or relay$3) near3 table) and (next adj (hop or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/11 22:04

S15	4	@ad<"20021209" and ((plurality or multiple or virtual) near3 (adapter or interface)) with (associat$3 or relat$3 or compris$3 or contain$3) with (multiple or plurality or associated or corresponding) near4 ((routing or forwarding or destination or relaying) near3 table) and (next adj (hop or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 14:38
S16	13	@ad<"20021209" and ((plurality or multiple or virtual) with (adapter or interface)) with (associat$3 or relat$3 or compris$3 or contain$3) with (multiple or plurality or associated or corresponding) near4 ((routing or forwarding or destination or relaying) near3 table) and (next adj (hop or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/12 15:47
S17	27	@ad<"20021209" and ((plurality or multiple or virtual) with (adapter or interface)) same (associat$3 or relat$3 or compris$3 or contain$3) with (multiple or plurality or associated or corresponding) near4 ((routing or forwarding or destination or relaying) near3 table) and (next adj (hop or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 15:47

S21	39	@ad<"20021209" and (adapter or interface) with (associat$3 or relat $3 or compris$3 or contain$3) with (multiple or plurality or associated or corresponding) near4 ((routing or forwarding or destination or relaying) near3 table) and (next adj (hop or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 21:27
S30	17	@ad<"20021209" and (source) with (associat$3 or relat$3 or select$4) with (multiple or plurality or associated or corresponding) near4 ((routing or forwarding or destination or relaying) near3 table) and (next adj (hop or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 21:37
S31	0	@ad<"20021209" and (source near3 application) with (associat $3 or relat$3 or select$4 or choos$3 or look$3 or trigger$3) with ((routing or forwarding or destination or relaying) near3 table) and (next adj (hop or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 21:39
S32	189	@ad<"20021209" and (source or application) with (associat$3 or relat $3 or select$4 or choos $3 or look$3 or trigger $3) with ((routing or forwarding or destination or relaying) near3 table) and (next adj (hop or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 21:39
S33	91	@ad<"20021209" and (source or application) with (associat$3 or relat $3 or select$4 or choos $3 or look$3 or trigger $3) with ((routing or forwarding or destination or relaying) adj table) and (next adj (hop or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 21:39

S34	34	@ad<"20021209" and (source or application) with (associat$3 or relat $3 or select$4 or choos $3 or look$3 or trigger $3) with ((routing or forwarding or destination or relaying) adj table) same ((next or final) adj (hop or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 21:40
S35	24	@ad<"20021209" and (source or application) with (associat$3 or relat $3 or select$4 or choos $3) with ((routing or forwarding or destination or relaying) adj table) same ((next or final) adj (hop or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 21:44
S36	14	@ad<"20021209" and (source or application) with (select$4 or choos $3) near3 ((routing or forwarding or destination or relaying) adj table) and ((next or final) adj (hop or destination))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 22:03
S37	0	@ad<"20021209" and (source near3 application) with (select $4 or choos$3) near3 ((routing or forwarding or destination or relaying) adj table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 22:03
S38	0	@ad<"20021209" and (source near3 application) with (select $4 or choos$3) with ((routing or forwarding or destination or relaying) adj table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 22:03
S39	0	@ad<"20021209" and (source near3 application) with (select $4 or choos$3 or look$3 or compar$3) with ((routing or forwarding or destination or relaying) adj table)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/09/13 22:03

| S40 | 4 | @ad<"20021209" and (source with application) with (select$4 or choos $3 or look$3 or compar $3) with ((routing or forwarding or destination or relaying) adj table) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/13 22:16 |
| S41 | 10 | @ad<"20021209" and (source with application) with (select$4 or choos $3 or look$3 or compar $3 or us$3) with ((routing or forwarding or destination or relaying) adj table) same (connect$3 same network or destination) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2007/09/13 22:18 |

5/29/2009 4:33:06 PM
C:\ Documents and Settings\ qnguyen4\ My Documents\ EAST\ Workspaces
\ 10697121_SelectingRoutingTableAssociatedAdapter.wsp